Dion Silenus

1. Dion Selenus

1.1 Meet Dion Selenus



Dion (Slide Layer)



Conversation 1 (Slide Layer)



Conversation 2 (Slide Layer)




1.2 True or False Question

(Multiple Choice, 10 points, 1 attempt permitted)

SCFPCLearn	True or False?	
i) 0 •	For patients with paroxysmal atrial fibrillation, abstaining from alcohol can prevent one atrial fibrillation related hospital visit for every 9 patients over 6 months.	
0	 True False 	
٩		Submit

1.3 Answer Slide 3 buttons



1.4 Dion Selenus



Dion (Slide Layer)




Dion 2 (Slide Layer)



Dion 3 (Slide Layer)



Conversation 1 (Slide Layer)



Conversation 2 (Slide Layer)




1.5 Multiple choice question


(Multiple Response, 10 points, 1 attempt permitted)

SCFPCLearn	Select which DSM-V criteria apply
Ð	Desire to cut down or control alcohol use
	Alcohol is used in situations where it is physically dangerous
0	Failure to fulfill role at work, school, or home Excessive time is spent in activities necessary to obtain, use, or recover from alcohol
	Alcohol can't be stopped despite it causing physical or psychological problems Itaken in larger amounts than intended
ARK ARK	Submit


1.6 Answer Slide 5 buttons




A (Slide Layer)



B 2 (Slide Layer)



C 2 (Slide Layer)



D 2 (Slide Layer)



E 2 (Slide Layer)



1.7 Dion Selenus



You (Slide Layer)



Dion 1 (Slide Layer)



Conversation 1 (Slide Layer)



You 2 (Slide Layer)



Dion 2 (Slide Layer)



Conversation 2 (Slide Layer)



1.8 Which of the following is true in AUD?


1.9 Answer Slide 5 buttons

ØCFPCLearn	Review	
i)	Answer: Naltrexone can be used on a basis	n as-needed
•	Naltrexone on an as-needed basis Acamprosate, Naltrexone and Disulfiram	
	Most RCTs enroll patients who plan Naltrexone is most effective in	Click on the answers to the left to see more information
٢	Topiramate and Gabapentin have	Let's review further

A (Slide Layer)

Review	
Answer: Naltrexone can be used on a basis	an as-needed
Naltrexone on an as-needed basis Acamprosate, Naltrexone and Disulfiram	Acamprosate This medication is first line for abstinence, especially for
Most RCTs enroll patients who plan Naltrexone is most effective in	patients who were abstinent prior to treatment (NNT 12 vs 20 for Naltrexone).
Topiramate and Gabapentin have	Let's review further


B (Slide Layer)



C (Slide Layer)

Review	
Answer: Naltrexone can be used on basis	an as-needed
Naltrexone on an as-needed basis	Naltrexone
Acamprosate, Naltrexone and Disulfiram	This medication is recommended to decrease heavy drinking (NNT
Most RCTs enroll patients who plan	13) and for abstinence. ~70-80% of patients in placebo arms return
Naltrexone is most effective in	to drinking. Disulfiram in generall not recommended.
Topiramate and Gabapentin have	Let's review f

D (Slide Layer)



E (Slide Layer)

Review	
Answer: Naltrexone can be used on basis	an as-needed
Naltrexone on an as-needed basis	
Acamprosate, Naltrexone and Disulfiram	Topiramate and Gabapentin Off label medications for AUD are Topiramate (RCT with 75mg daily
Most RCTs enroll patients who plan	showed 33.3% abstinence vs 14.5%) and Gabapentin (mixed
Naltrexone is most effective in	evidence)
Topiramate and Gabapentin have	Let's review

1.10 Match the following medications used for AUD with their side-effects


(Matching Drag-and-Drop, 10 points, 1 attempt permitted)

SCFPCLearn	Match the following medications	
	Natrovana	Contraindicated in acute hepatitis
•	Naltrexone Acamprosate	or liver failure Diarrhea NNH 17, incidence decreases after 4 weeks
0	Gabapentin	Risk of misuse recognized, especially for patients with history of opioid abuse.
	Topiramate	Paresthesias, may be decreased Submit

1.11 Answer Slide 5 buttons

SCFPCLearn	Review	
i)	Let's review the answers:	
•	Naltrexone Acamprosate	Click on the answers to the
	Gabapentin Topiramate	left to see more information
		Let's review further

Naltrexone (Slide Layer)



Acamprosate (Slide Layer)

SCFPCLearn	Review	
(j)	Let's review the answers:	
	Naltrexone	Acamprosate
	Gabapentin	Diarrhea NNH 17. Incidence decreases after 4 weeks of treatment. Three times daily dosage may be a barrier.
٩	Topiramate	Let's review further

Gabapentin (Slide Layer)

SCFPCLearn	Review	
i)	Let's review the answers:	
	Naltrexone Acamprosate	Gabapentin Dizziness NNH 4. Risk of misuse
	Gabapentin	increasingly recognized, especially for patients with history of opioid abuse (15-22% of patients)
٩	Topiramate	Let's review further

Topiramate (Slide Layer)

ØCFPCLearn	Review	
(j)	Let's review the answers:	
•	Naltrexone	Topiramate
	Acamprosate Gabapentin	Paresthesias. May be decreased with lower doses and/or slow titrations
٢	Topiramate	Let's review further

E 2 (Slide Layer)

SCFPCLearn	Review	
i	Let's review the answers:	
	Acamprosate	Information to Support Not going to see his wife's
	Gabapentin	daughter or drinking too much at poker and losing more money
٩	Topiramate	Let's review further

1.12 Create a Plan

SCFPCLearn	Let's Make a Plan
i)	Using what you have learned write a plan for Dion. It can include any/all of the following: lifestyle intervention(s), prescription intervention(s), lab(s)/test(s) required, follow up appointment time frame, and referral required.
•	 Fill in your plan for the patient here Image: Image of the patient here
0	© ©
	See how your plan compares

1.13 Plan Answers

SCFPCLearn	Treatment P	lan	
(j)	This is the proposed plan for the your plan compare?	patient. How does	
	Prescription Monitoring Non-Pharmacological	Click on the buttons to	
•	Next Appointment	see suggested answers	
•	What's in a name?	Next Patient Back	to Day Sheet

Next Appointment (Slide Layer)

SCFPCLearn	Treatment Pl	an 🕡
<u>i</u>)	This is the proposed plan for the p your plan compare?	batient. How does
•	Prescription Monitoring Non-Pharmacological Next Appointment	X Sext Appointment You schedule a close follow-up to monitor his progress. If abstinence is not possible, you will try harm reduction with Naltrexone.
	What's in a name?	Next Patient Back to Day Sheet

Non-Pharmacological (Slide Layer)

SCFPCLearn	Treatment Pl	an 😥
i)	This is the proposed plan for the your plan compare?	patient. How does
•	Prescription Monitoring	X 🚱 Non-Pharmacological
0	Non-Pharmacological	He has tried Alcoholics Anonymous previously and will try again.
٩	What's in a name?	Next Patient Back to Day Sheet

Monitoring (Slide Layer)

Treatment Pla	an 💿
This is the proposed plan for the pa your plan compare?	atient. How does
Prescription	Monitoring
Monitoring	Dion has stopped alcohol a few times with
Non-Pharmacological	no withdrawal symptoms. He never uses alcohol with benzos or other illicit drugs.
Next Appointment	His wife will be monitoring him at home and contact you or go to the ER if he gets tremors, sweats, hallucinations, disoriented or starts vomiting.

Prescription (Slide Layer)

ØCFPCLearn	Treatment Pl	an 😥
i)	This is the proposed plan for the your plan compare?	patient. How does
	Prescription Monitoring	 Prescription Dion is confident that he can
0	Non-Pharmacological	abstain from alcohol and you both decide acamprosate would be the best medication.
٩	What's in a name?	Next Patient Back to Day Sheet

Name (Slide Layer)

SCFPCLearn	Treatment P	lan
	This is the proposed plan for the your plan compare?	e patient. How does
	Prescription	×
-	Monitoring	log Meaning Behind the Name: Dion Silenus
	Non-Pharmacological	This is derived from two Greek gods. The first is Dionysus, the god of wine (among
0	Next Appointment	other things), and the second was Silenus, variable referred to as god of drunkeness, wine-making or beer.
	What's in a name?	Next Patient Back to Day Sheet